

Sagebrush Ecosystem Program

201 Roop Street, Suite 101
Carson City, Nevada 89701
Telephone (775) 684-8600
Facsimile (775) 684-8604

www.sagebrushheco.nv.gov



STATE OF NEVADA
Sagebrush Ecosystem Program

SAGEBRUSH ECOSYSTEM COUNCIL
STAFF REPORT
MEETING DATE: March 13, 2014

Tim Rubald, Program Manager
John Copeland, Forestry/Wildland Fire
Melissa Faigeles, State Lands
Kelly McGowan, Agriculture
Lara Niell, Wildlife

DATE: March 7, 2014
TO: Sagebrush Ecosystem Council Members
FROM: Sagebrush Ecosystem Technical Team
Telephone: 775-684-8600
THROUGH: Tim Rubald, Program Manager
Telephone: 775-684-8600, Email: timrubald@sagebrushheco.nv.gov
SUBJECT: DRAFT Maps for Greater Sage-grouse in Nevada

SUMMARY

This agenda item presents the outcome of the Expert Review Team (ERT) meetings on the Nevada Habitat Suitability Model, as well as the DRAFT Habitat Suitability Index, DRAFT Suitable Habitat Map, DRAFT Management Categories Map for Greater Sage-grouse in Nevada and associated white paper that was submitted to the BLM and USFS as part of the State Alternative Revision submittal on March 3, 2014 (See attachment 1) Note that these maps will be considered “DRAFT” by the State until the Final Nevada Habitat Suitability Model is completed in late 2014/early 2015.

PREVIOUS ACTION

March 27, 2013. The Council directed staff to meet with USFWS and NDOW staffs to discuss the USFWS comments to the Nevada State Plan and report back to the Council.

July 30, 2013. The Council assigned the SETT to address Council comments, questions, and concerns on the 2013 Proposed State Plan Revision for the following Council meeting.

October 10, 2013. The Council approved revisions to the “avoid process” within Section 3.0 with direction to develop definitions for management categories with the USGS and NDOW.

January 23, 2014. The Council approved the definitions associated with management categories and approved the preliminary draft maps with direction to finalize maps following the ERT meeting.

BACKGROUND

Expert Review Team Meetings

The ERT met on February 5 and 19, 2014 to review and discuss methods for the Nevada Habitat Suitability Model. These discussions are intended to provide a forum for technical experts with experience in greater sage-grouse biology and modeling and statistics to review methods used and provide input and feedback during the development process of the Nevada Habitat Suitability Model.

The preliminary draft maps that the Council reviewed on January 23, 2014 used a cut-off of 2 standard deviations (SD) below the mean value of the Habitat Suitability Index to determine habitat. This value was used based on the work done in the Bi-State. The ERT reviewed this number and determined that using a cut-off of 1.5 SD was biologically and statistically more robust (see white paper for more information). Using 1.5 SD is less conservative than 2 SD and results in approximately six million fewer acres of habitat.

Draft Maps and White Paper

Following the ERT meeting on February 19th, the maps for suitable habitat and management categories were adjusted based on the recommendation of the ERT. The SETT drafted a white paper that describes general methods to accompany the DRAFT maps. The white paper and DRAFT maps were submitted to the BLM and USFS on March 3, 2014 as part of the Sagebrush Ecosystem Program's submittal providing revisions to the State Alternative in the EIS. These DRAFT maps should be collectively referred to as the February 2014 DRAFT Maps for Greater Sage-grouse in Nevada, including habitat suitability index, suitable habitat, and management categories.

The Nevada Habitat Suitability Model is entering the second phase, as per the contract with the USGS. The SETT will continue to coordinate with the USGS on ongoing work on the model through the end of 2014. At that point, the final model will be available and FINAL maps will be developed by the Sagebrush Ecosystem Program.

RECOMMENDATION

There are no recommendations at this time.

POSSIBLE MOTION

There are no recommended motions at this time.

Attachments:

Attachment 1: Nevada Greater Sage-grouse Draft Habitat Suitability Index, Draft Habitat Suitability Map, and Draft Management Categories

Nevada Greater Sage-grouse Draft Habitat Suitability Index, Draft Habitat Suitability Map, and Draft Management Categories

Prepared by the Sagebrush Ecosystem Technical Team

February 2014

The following outlines the habitat suitability index, habitat suitability mapping, and management categories as developed by the State of Nevada Sagebrush Ecosystem Program for State of Nevada Greater Sage-grouse Plan and for the State Alternative (E) of the Nevada and Northeast California Greater Sage-grouse Sub-Regional LUPA and EIS.

DRAFT Habitat Suitability Index for Greater Sage-grouse in Nevada (February 2014)

This map presents the Nevada Habitat Suitability Index that provides a relative suitability of greater sage-grouse habitat in Nevada on a scale of 0 to 1 (excluding the Bi-State DPS). These data were developed in collaboration with the U.S. Geological Survey.

General Methods

Resource Selection Functions (RSFs) were used to develop habitat suitability indices that rank areas based on a continuum of highly used to strongly avoided. This modeling is driven by actual location data obtained using radio-telemetry information. RSFs were developed by modeling the relative probability of occurrence as a function of different environmental factors which consisted of vegetation types, pinyon-juniper cover classes, agriculture, elevation, ruggedness, slope, and water sources. These factors were measured at multiple spatial scales that reflect movement patterns of sage-grouse. The modeling process contrasted these environmental factors for sites used by sage-grouse (>31,000 sage-grouse telemetry locations; >10 years of telemetry data) to available sites (randomly generated locations). Contrasting the environmental factors of used versus available sites provided information about what factors were correlated with greater sage-grouse selection or avoidance (e.g., streams, pinyon-juniper).

RSFs were applied to the map layers developed above to calculate an overall probability of use per pixel. This created a single greater sage-grouse habitat suitability index and resulted in a surface of predicted use by sage-grouse across Nevada. This surface is represented by probability values that ranged across a continuous spectrum of 0.0 to 1.0.

This February 2014 Habitat Suitability Index is a draft product. Continued modeling and incorporation of additional data will continue and a final habitat suitability index will be available in early 2015.

DRAFT Suitable Habitat for Greater Sage-grouse in Nevada (February 2014)

This map displays the extent of suitable habitat for greater sage-grouse in Nevada (excluding the Bi-State DPS). The Sagebrush Ecosystem Program developed this map using the Habitat Suitability Index developed above.

General Methods

To identify suitable habitat, the habitat suitability index described above was reclassified to binary values (suitable habitat and non-suitable habitat) by choosing suitability values above a cutoff value based on the mean of the index values minus 1.5 standard deviations. This cut-off point was also validated by a cost-benefit ratio looking at the trade-off between additional area to telemetry points. The equalization point occurs at 1.5 standard deviations. The binary map was then aggregated at the 1 km scale to account for corridors and smoothed at the 1.2 km scale to remove “islands”.

This February 2014 Nevada Habitat Suitability Map is a draft product. A final product will be available in early 2015.

DRAFT Management Categories for Greater Sage-grouse in Nevada (February 2014)

The Sagebrush Ecosystem Program developed the management categories using the Habitat Suitability Index developed above as well as modeled space use by greater sage-grouse. These categories were developed to be used with the management criteria outlined in Table 3-1 of the State of Nevada Greater Sage-grouse Plan.

The Nevada Sage Grouse Management Area (SGMA) encompasses the general range of greater sage-grouse in the state of Nevada (excluding the Bi-State DPS). Proposed anthropogenic disturbances within the SGMA will trigger consultation with the SETT for assessment of impacts to sage-grouse and their habitat and compliance with SEC and other relevant agency policies. Please note that the express purpose of the SGMA is to trigger consultation with the SETT; specific area or project habitat determinations must be conducted in accordance with established scientific protocol. The SGMA should not be used for any other purpose.

Within the SGMA are four management categories that are defined below.

The **Core Management Areas** encompass areas of high estimated sage-grouse use in suitable habitat in the State of Nevada. These areas represent the strongholds (or “the best of the best”) for sage-grouse populations in the State of Nevada and support the highest density of breeding populations.

The **Priority Management Areas** encompass areas that are determined to be highly suitable habitat for sage-grouse that are not contained within the Core Management Areas.

The **General Management Areas** encompass areas determined to be suitable habitat for sage-grouse, though less suitable than Priority Management Areas and are not contained within the Core Management Areas.

The **Non-Habitat Management Areas** encompass areas determined to be unsuitable for greater sage-grouse.

General Methods

Habitat suitability categories – these categories are based on the habitat suitability index

High suitability habitat – mean index values minus 0.5 standard deviation (~70% sage-grouse use)

Moderate suitability habitat – mean index values minus 1.5 standard deviations (~93% sage-grouse use)

Non-suitable habitat – mean index values minus greater than 1.5 standard deviations

Space use index - these categories are based on (1) density of sage-grouse leks coupled with attendance at leks and (2) distance sage-grouse are found from leks based on telemetry data

High use areas – greater than or equal to 85th percentile of the space use index

Low use areas – less than 85th percentile of the space use index

The intersection of the 3 suitability definitions and the 2 space use definitions were developed into the four management categories.

Core Management Area – areas of suitable sage-grouse habitat use found within areas of estimated high space use.


Priority Management Area – high suitability habitat that is found in areas of estimated low space use, and areas of non-habitat that overlap with areas of estimated high space use

General Management Area – moderate suitability habitat that is found in areas of estimated low space use.

Non-habitat Management Area – non-suitable habitat that is found in areas of estimated low space use.


This February 2014 Nevada Management Categories Map is a draft product. A final product will be available in early 2015.

DRAFT Habitat Suitability Index for Greater Sage-grouse in Nevada (February 2014)




Draft map of a relative habitat suitability index modeled for greater sage-grouse in Nevada. The map was developed in collaboration with the Nevada Sagebrush Ecosystem Program. Results are not guaranteed by the Sagebrush Ecosystem Program and this map should be interpreted with caution. This map does not cover the extent of the Bi-State Distinct Population Segment within Nevada. The final version of this map is anticipated in December 2014.

**DRAFT Suitable Habitat for Greater Sage-grouse in Nevada
(February 2014)**



Draft map of habitat and non-habitat for greater sage-grouse in Nevada. The map was developed by the Nevada Sagebrush Ecosystem Program. Results are not guaranteed by the Sagebrush Ecosystem Program and this map should be interpreted with caution. This map does not cover the extent of the Bi-State Distinct Population Segment within Nevada. The final version of this map is anticipated in December 2014.

DRAFT Management Categories for Greater Sage-grouse in Nevada (February 2014)



Draft map of management categories for greater sage-grouse in Nevada. The map was developed by the Nevada Sagebrush Ecosystem Program. Results are not guaranteed by the Sagebrush Ecosystem Program and this map should be interpreted with caution. This map does not cover the extent of the Bi-State Distinct Population Segment within Nevada. The final version of this map is anticipated in December 2014.